Allast

Plant Variety Protection

Agricultural Marketing Service

### WHITE UNIVERSE CHARLES CHARLES OF THE STREET

# Callatin Valley Seed Company

Tallicreus, there has been presented to the

Socration of Agricultures

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF SEVENAGE YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT 4 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

PEA

'Trident'

In Testimony Winercot, Thave hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 26th day of February in the year of our Lord one thousand nine hundred and seventy-four


Earlh. But

Secretary of Styriculture

## UNITED STATES DEPARTMENT OF AGRICULTURE CONSUMER AND MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

#### APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

1. VARIETY NAME OR TEMPORARY	2. KIND NAME		FOR OFFICIAL USE ONLY			
Designation Trident	Pea	Pea		PVPO NUMBER 73020		
3. GENUS AND SPECIES NAME	4. FAMILY NAME (B	otanical)	FILING DATE	D TIME 1:00 A.M.		
Pisum sativum L.	Leguminosaė		FEE RECEIVED			
		5. DATE OF DETERMINATION		CHARGES		
	1963		\$750			
6. NAME OF APPLICANT(S)	Code)	and No. or R.F.D. N	o., City, State, and ZIP	8. TELEPHONE AREA CODE AND NUMBER		
Gallatin Valley	P. O.	P. O. Box 167,				
Seed Co.	Twin I	Twin Falls, Idaho 83301				
9. IF THE NAMED APPLICANT IS NOT A	PERSON, FORM OF	10. STATE OF IN	CORPORATION	11. DATE OF INCOR-		
ORGANIZATION: (Corporation, partnersh		)		PORATION		
Corporation	•	Montar	la	9-28-22		
13. CHECK BOX BELOW FOR EACH ATTA	ACHMENT SUBMITTED:		······································			
I 12A. Exhibit A, Origin and B	reeding History of the	Variety (See Sec	ction 52, P.L. 91-577)			
I 128. Exhibit B, Botanical De	escription of the Varie	ety				
12c. Exhibit C, Objective De	acription of the Varie	ty	•			
I 120. Exhibit D, Data Indicat	ive of Novelty					
12g. Exhibit E, Statement of	the Basis of Applican	nt's Ownership				
The applicant declares that a viabl	e sample of basic see	d of this variety	will be deposited upor	request before issu-		
ance of a certificate and will be re						
(See Section 52, P.L. 91-577).						
14A. Does the applicant(s) specify t (See Section 83(a), P.L. 91-577						
148. Does the applicant(s) specify t				nerations of production		
limited as to number of generat		1	eeder seed?	ionation of production.		
	YES NO	1				
Applicant is informed that false rep	resentation herein car	n jeopardize prot	ection and result in pe	nalties.		
The undersigned applicant(s) of thi						
uniform, and stable as required in S Plant Variety Protection Act (P.L.		iea to protection	unaer the provisions	oj section 42 oj the		
I will y writery Protection Act (P.L.	/ 4 - J / / /t	Gallatin	Valley Seed C	0.		
Oct. 31, 1972	per:	m	~ ~ /	. C. Parker		
(DATE)	<del></del>		SIGNATURE OF APPLIC	ANT)		
		Vice Presi	ident and Rese	arch Director		
(EATH)	·		74721112712222222222	- ANI SI		
(DATE)			(SIGNATURE OF APPLIC	ANT)		



#### **INSTRUCTIONS**

GENERAL: Send an original copy of the application, exhibits and \$50.00 fee to U.S. Dept. of Agriculture, Consumer and Marketing Service, Grain Division, Hyattsville, Maryland 20782. Retain one copy for your files. All items on the face of the form are self-explanatory unles noted below.

#### ITEM

- 5 Insert the date the applicant determined that he had a new variety.
- 12a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the type and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.
- 12b First, give any special characteristics of the seed and of the plant as it passes through the seedling stage, flowering stage and the fruiting stage. Second, describe the mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the differences.
- 12c A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.
- 12d Provide complete data indicative of novelty. Seed and plant specimens may be submitted and seeds submitted may be sterile. Where possible, include photographs of plant comparisons, chemical tests, etc.
- 12e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase or inheritance, etc.




Exhibit 12 A (2) Trident (H3\$1-2-1-1) Pea.

Details of Selection and Multiplication.

- 1963 Single plant selection number H351-2-1-1 made from H351-2-1 which was a single plant selection from H351-2 which was a single plant selection from Hybrid number H351 (see pedigree chart). The single plant selections had been made for multiple podding, resistance to pea enation mosaic virus, foliage tolerance to mildew, plant structure, resistance to common pea mosaic, common pea wilt, season of maturity, etc. After these repeated single plant selections and detailed study it was determined this was a new and distinct variety.
- 1964 Planted 2 oz., harvested 16 oz.
- 1965 Planted 3 oz., harvested 28 oz.
- 1966 Planted 44 oz., harvested 51#.
- 1967 Planted four pounds for evaluation of processing qualities, yield potential, etc.
- 1968 Planted 47#, harvested 1585#
- 1969 Planted 715#, harvested 17,380#
- 1970 Planted 3200#, harvested 38,400#
- 1971 Planted 2450#, harvested 27,845#.
- 1972 Planted \$100#, harvested 97,115#.

Note: In order to "introduce" a new pea variety to the processing trade it is often necessary, and a common practice in the pea seed industry, to supply "key" processors with seed for pilot test plantings of sufficient size they can have a "run" through their processing equipment, quality control lab., etc. This may result in plantings of 10 to 20 acres requiring 2500-5000# of pea seed for each trial. This accounts for the fairly large build-up of seed before a variety can be considered as actually entering commercial channels.



Exhibit 12 A - Type and Frequency of Variants Found During (3) Reproduction and Multiplication.

Trident Pea.

During the reproduction and multiplication of Trident Peas no variants or mutants have been observed.

Exhibit 12 A - Evidence of Stability of the Line. (4)

Trident is the result of the multiplication of a single plant selection from a segregating hybrid population. The single plant selection was studied closely over several increase generations. Pure-line increase methods were used following the original plant selection. Increase of the line was supervised by competent trained plant breeders during each increase generation and the variety is considered to be stable.



Exhibit 12 B. Botanical Description.

Trident Pea

Trident is a pea variety with dark green colored green peas and is thus suitable for processing as a quick frozen product or for canning by canners desiring a darker green canned product. It has a shorter, more compact vine, and smaller sieve sizes than Dark Skin Perfection.

Trident is a multiple podded type capable of producing triple pods when cultural conditions are good and with the potential of producing quadruple pods if conditions are exceptionally good (see photos of wine and pods with Exhibit 12 D).

Trident is resistant to common fusarium wilt (<u>Fusarium oxysporum</u> 2. <u>pisi</u> (Linford) race 1 (Snyder & Hansen); resistant to common pea mosaic (possessing <u>mo/mo</u> genotype); and resistant to pea enation mosaic virus (PEMV). Trident also possesses fair tolerance to infection of foliage by powdery mildew (<u>Erysiphe polygoni</u> D.C.) but not to powdery mildew infection of pods and stems.

Trident resembles the variety "Puget" in plant type. Trident differs from "Puget" in being slightly later in season; Trident is resistant to pea enation mosaic and has foliage tolerance to powdery mildew. Puget is susceptible to both of these diseases. Trident has the potential of producing quadruple pods.



#73020

Exhibit 12 D. Data Indicative of Novelty.


Trident Pea


The accompanying photographs illustrate the potential of this variety to produce triple and quadruple pods. (First two sets of pods in vine picture are quadruple sets, next 6 nodes carry triple pods.)

Trident differs from other multiple podded pea varieties, in its season, in being resistant to pea enation mosaic virus, and in possessing foliage tolerance to powdery mildew.

Trident also possesses more potential for producing quadruple pod sets.









Set Triple Pods Set Quadruple Pods (Rulings in one inch squares)

#### GALLATIN VALLEY SEED CO.

BOX 167 • TWIN FALLS, IDAHO 83301



Date: Oct. 31, 1972

12E. Exhibit E.

Statement of the Basis of Applicant's Ownership.

The undersigned specifies that Gallatin Valley Seed Co., applicant, is the employer of the breeder responsible for the development of the subject plant variety of this application, namely Trident Peas

Gallatin Valley Seed Co.

per: McParker C. Parker

Title Vice President and Director of Research

7

1 = WHITE 2 = GREENISH 3 = LAVENDER

6 = OTHER (Specify)

4 = PURPLE

1 = MONOCOLOR

2 Venation

/ Standard

2 = BICOLOR

**✓** Wing

Keel }

5 = RED

### UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

OBJECTIVE DESCRIPTION OF VARIETY

INSTRUCTIONS: See Reverse. PEA (PISUM SATIVUM)	•
Gallatin Valley Seed Co.	FOR OFFICIAL USE ONLY
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	PYPO NUMBER
P. O. Box 167,	73020 VARIETY NAME OR TEMPORARY
Twin Falls, Idaho 83301	DESIGNATION
	Trident
Place the appropriate number that describes the varietal character of this variety in the Place a zero in first box (e.s. 0 8 9 or 0 9 ) when number is either 99 or less	the boxes below. or 9 or less.
1. TYPE:	
1 = TALL (Internodes streight) 2 = DWARF (Internodes zigzag)  1 = GARDEI	N 2 = FIELD 3 = EDIBLE-PODDED
2. SEASON:	
Node number of first bloom: 1 = EARLY (8 · 12th node) 2 = MIDSEASON (13 · 24th	h node) 3 = LATE (Greater than 24th node)
3. MATURITY:	
No. of days Earlier than 5	AXTON WR 3 = LITTLE MARVEL
No. of days Later than	R 6 = AUSTRIAN WINTER
4. PLANT HEIGHT:	
0 8 0 cm. HIGH	
3 0 Cm. Shorter than	AXTON WR 3 - LITTLE MARVEL
08 Cm. Taller than	6 = AUSTRIAN WINTER
5. VINE:	= SLIM (Alaska) 3 = HEAVY (Alderman)
1.1	= MEDIUM (Thomas Laxton WR)
Branching: 1 = NONE (Alaska) 2 = 1 - 2 BRANCHES (Little Marvel) 3 = MORE	THAN 2 BRANCHES (Dwarf Gray Sugar)
Node Color: 1 = GREEN 2 = RED BLOTCH 25 NUMBER	OF NODES
O 7 CM. INTERNODE LENGTH (Just below 1st flowering node)	
6. LEAFLETS: 1 = LIGHT GREEN (Alaska WR) 2 = MED, GREEN (Thomas Laxton V	VR) 3 = DARK GREEN (Alderman)
3 Color: 4 = OTHER (Specify)	The state of the s
Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY  Ambling:	1 = NONE 2 = MARBLED (Alaska)
Number of leaflet pairs: 1 = NOT PAIRED 2 = ONE 3 = TWO 4 = THREE	OR MORE
7. STIPULES:	
1 = LACKING 2 = PRESENT 2 1 = NOT CL	ASPING 2 = CLASPING
2 1 = NOT MARBLED 2 = MARBLED 3 Size (Compared	with leaflets): 1 = SMALLER 2 = SAME 3 = LARGER
Color (Compared with leaflets): 1 = LIGHTER 2 = SAME 3 = DARKER	
8. FLOWER COLOR:	

FORM GR-470-14 (REVE	RSE/							
9. PODS:								
Shape: 3 = CU	RAIGHT 2 = SLIGHTL	Y CURVED	<b>2</b> End: 1 = POINT	ED (Alderman) 2 = BLUNT (Alaska)				
Color: 1 = LIGHT GREEN (Alaska WR) 2 = MEDIUM GREEN 3 = DARK GREEN (Alderman) 4 = OTHER (Specify)								
Surface: 1 = SMC	Surface: 1 = SMOOTH 2 = ROUGH 2 = DULL							
Borne: 1 = SINGLE 2 = DOUBLE 3 = SINGLE AND DOUBLE 4 = SINGLE, DOUBLE, & TRIPLE 5 = DOUBLE & TRIPLE 6 = TRIPLE 7 = OTHER (Specify) Double Triple, Quadruple								
09 cm. LENGTH 16 MM, WIDTH (Between sutures) 09 NUMBER OF SEEDS PER POD								
10. SEEDS (95 - 100 Ter	derometer):	,						
Color: 1 = LIGHT GREEN (Perfection Canner) 2 = GREEN (Little Marvel) 3 = DARK GREEN (Dark Skin Perfection) 4 = OTHER (Specify)								
Shape: 1 = FLATTENED 2 = ANGULAR 3 = OVAL 4 = ROUNDED								
Surface: 1 = SMOOTH 2 = DIMPLED 3 = WRINKLED Z Surface: 1 = SHINY 2 = DULL								
SEEDS (Mature, Dry):		_						
Color: 1 - MONOCOLOR. 2 = BICOLOR.  1 - CREAMY-WHITE (Mammoth Melting Sugar) 2 = YELLOW (Arthur) 3 = CREAM & GREEN (Thomas Laxton)								
7 Primary Color:								
	7 - 0 A DY COECN (D	LIGHT GREEN (Alde	rman) 6 = MEDIOM 6 8 = BLUE-GREEN (Ala:	GREEN (Little Marvel) ska WR) 9 = BROWN 10 = RED				
Secondary Color:	. 11 = GRAY 12 = BL		D DECE ONE LIVE (A.E.	10 112				
Color Pattern: 1 = SPLASHED 2 = MOTTLED 3 = STRIPED 4 = FLECKED 5 = DOTTED								
Hilum Floor Color: 1 = WHITE 2 = TAN 3 = BLACK Cotyledon Color: 1 = YELLOW 2 = ORANGE 3 = GREEN								
23 GRAMS PER 100 SEED								
11. SEED SIEVE SIZE D	ISTRIBUTION (95 - 100)	Tenderometer):						
Sieve (%): 0 3	1 /o²	183 24	325	// 6 00 7 00 8				
12. PLANT REACTION:	(0 = Not Tested; 1 = Sus	ceptible; 2 = Resistant	)					
1 = DROUGHT (W	1 = DROUGHT (Wando)							
13. DISEASE: (0 ≈ Not	Tested; 1 = Susceptible; 2	= Resistant)	· ·					
2 FUSARIUM WILT / NEAR-WILT DOWNY MILDEW								
ASCOCHYTA BLIGHT  ASCOCHYTA BLIGHT  ASCOCHYTA BLIGHT  ASCOCHYTA BLIGHT  ASCOCHYTA BLIGHT								
2 MOSAIC PEA ENATION MOSAIC D YELLOW BEAN MOSAIC								
OTHER (Specify)								
14. INSECT: (0 = Not Tested; 1 = Susceptible; 2 = Resistant)								
O APHIDS OTHER (Specify)								
	VARIETY MOST CLOSEL		*					
CHARACTER	NAME OF V		CHARACTER	NAME OF VARIETY				
Leafiness	Dark Ski		Fresh Seed Color	Dark Skin Pert.				
Leaf Color Pod Color	4 4	4	Mature Seed Color Seed Shape	4 5 4				
Pod Shape			Plant Habit	Puget				
-1 ( )	1	······································						

REFERENCES: The following publication may be used as a reference aid for the standardization of character descriptions and terms:

- 1. Shoemaker, D. N., 1934. Descriptions of Types of Principal American Varieties of Garden Peas. U.S.D.A. Miscellaneous Publication, No. 170.
- 2. Hedrick, V. P., 1928. The Vegetables of New York. New York Agricultural Experiment Station. Vol. 1., Part 1.